




U.S. Counties Where Chronic Diseases Are Most Prevalent

BASED ON THE PERCENTAGE OF THE POPULATION WITH OBESITY, HEART DISEASE, COPD, DIABETES, AND/OR CHRONIC KIDNEY DISEASE



COUNTY-BY-COUNTY BREAKDOWN

Rank	County	Population	Obesity Prevalence	Heart Disease Prevalence	COPD Prevalence	Diabetes Prevalence	Chronic Kidney Disease Prevalence	Overall Chronic Disease Prevalence
1	Harlan	KY 20,354	46.2%	13.6%	18.2%	19.7%	4.6%	66.2%
2	Humphreys	MS 6,110	49.2%	11.5%	13.1%	22.8%	5.4%	65.0%
3	East Carroll	LA 5,303	49.2%	12.1%	14.7%	22.4%	5.3%	64.8%
3	Tensas	LA 3,440	46.9%	14.8%	16.4%	25.3%	6.2%	64.8%
5	Logan	WV 25,930	39.7%	12.0%	15.8%	17.6%	3.9%	64.6%
6	Jefferson	MS 5,499	49.9%	11.8%	13.1%	24.0%	5.7%	64.3%
7	Letcher	KY 17,160	40.5%	12.9%	16.8%	18.7%	4.3%	64.2%
8	McCreary	KY 13,625	43.5%	13.0%	16.8%	19.1%	4.4%	64.1%
9	McDowell	WV 14,488	45.8%	15.1%	19.9%	21.3%	5.0%	63.7%
10	Sharkey	MS 3,321	46.1%	12.3%	13.3%	23.1%	5.5%	63.3%
11	Quitman	MS 5,444	45.4%	11.4%	13.1%	22.4%	5.2%	62.9%
12	Issaquena	MS 1,156	47.4%	11.4%	12.9%	26.6%	4.9%	62.7%
13	Greene	AL 6,408	45.6%	12.5%	13.4%	25.6%	5.8%	62.4%
14	Boone	WV 17,267	45.8%	12.1%	15.7%	17.9%	3.9%	62.2%
15	Magoffin	KY 9,602	44.3%	12.1%	15.9%	17.7%	4.1%	61.9%
16	Lowndes	AL 7,718	45.8%	11.0%	12.1%	22.3%	5.0%	61.7%
17	Perry	AL 7,198	44.1%	11.7%	12.9%	22.7%	5.3%	61.6%
18	Wayne	WV 31,766	41.8%	12.0%	15.0%	16.5%	3.9%	61.5%
19	Clay	WV 6,723	42.9%	13.1%	16.8%	17.8%	4.1%	61.4%
20	Wilkinson	MS 6,925	48.6%	11.2%	12.5%	26.8%	5.0%	61.2%
21	Lawrence	KY 11,879	46.3%	11.8%	15.4%	16.4%	4.0%	61.1%
22	Clay	KY 15,863	42.9%	12.2%	17.0%	18.0%	4.2%	61.0%
23	Mingo	WV 18,500	40.7%	12.8%	17.3%	18.4%	4.1%	61.0%
24	Wolfe	KY 5,527	40.5%	13.9%	18.2%	19.2%	4.6%	60.9%
25	Owsley	KY 3,463	44.5%	12.9%	16.5%	18.0%	4.3%	60.8%
26	Bullock	AL 8,001	45.8%	10.0%	10.9%	26.6%	4.5%	60.7%
27	Knott	KY 12,080	44.3%	12.6%	16.5%	18.8%	4.3%	60.6%
27	Perry	KY 20,108	43.6%	11.6%	15.0%	16.7%	3.9%	60.6%
27	Summers	WV 10,633	43.1%	12.4%	15.3%	17.9%	4.2%	60.6%
30	Breathitt	KY 10,129	42.3%	12.5%	17.0%	17.6%	4.3%	60.5%
31	Marion	MS 18,997	43.5%	10.8%	12.2%	17.0%	4.2%	60.4%
32	Martin	KY 9,103	45.3%	10.5%	13.8%	16.0%	3.6%	60.3%
32	Sunflower	MS 20,041	45.4%	8.9%	10.2%	18.8%	4.2%	60.3%
32	Roane	WV 11,053	40.1%	12.7%	16.1%	17.6%	4.1%	60.3%
32	Lewis	KY 10,404	42.5%	12.7%	16.1%	17.6%	4.2%	60.3%
35	Buffalo	SD 1,234	45.6%	10.9%	11.3%	18.1%	4.6%	60.1%
35	Pendleton	WV 5,711	40.2%	13.4%	15.3%	18.0%	4.2%	60.1%
38	Wayne	KY 16,293	42.9%	12.4%	15.5%	18.1%	4.2%	60.0%
38	Mellette	SD 1,415	45.7%	12.8%	11.9%	18.2%	5.1%	60.0%
40	Claiborne	MS 7,114	46.2%	9.7%	10.7%	26.1%	4.8%	59.9%
40	Walthall	MS 11,164	45.4%	10.8%	11.8%	18.2%	4.4%	59.9%
40	Lauderdale	TN 19,998	43.8%	9.8%	12.4%	17.0%	3.9%	59.9%
43	Lee	KY 5,682	44.4%	13.1%	17.2%	18.5%	4.3%	59.8%
43	Leslie	KY 7,951	42.5%	12.6%	16.7%	17.8%	4.2%	59.8%
43	Webster	WV 6,628	41.3%	13.3%	16.8%	18.3%	4.3%	59.8%
46	Holmes	MS 13,156	48.9%	10.7%	12.4%	21.9%	5.2%	59.7%
46	Cumberland	KY 5,218	41.9%	12.2%	14.8%	17.3%	4.1%	59.6%
47	Fulton	KY 4,778	43.8%	12.2%	15.1%	19.2%	4.9%	59.6%
47	Coahoma	MS 16,525	43.1%	10.2%	11.2%	26.0%	4.8%	59.6%
47	Adair	OK 16,213	41.3%	12.2%	13.8%	18.6%	4.9%	59.6%
47	Corson	SD 2,627	46.8%	12.1%	11.3%	18.4%	4.9%	59.6%
47	Fayette	WV 34,121	39.7%	12.0%	14.7%	17.1%	3.9%	59.6%

COUNTIES WITH THE LOWEST CHRONIC DISEASE PREVALENCE

Rank	County	Prevalence
1	Boulder County	CO 22.0%
2	San Francisco County	CA 23.9%
3	Teton County	WY 24.3%
4	Larimer County	CO 24.6%
5	Arlington County	VA 25.0%
6	Summit County	UT 25.4%
7	Gallatin County	MT 25.7%
8	Douglas County	CO 26.4%
9	Gunnison County	CO 26.8%
10	Routt County	CO 26.9%

COUNTIES WITH THE HIGHEST OBESITY PREVALENCE

Rank	County	Prevalence
1	Jefferson County	MS 49.9%
2	East Carroll Parish	LA 49.2%
2	Humphreys County	MS 49.2%
3	Holmes County	MS 48.9%
5	Wilkinson County	MS 48.6%
6	St. Francis County	AR 47.4%
7	Issaquena County	MS 47.4%
8	Panola County	MS 47.2%
9	Tensas Parish	LA 46.9%
10	Corson County	SD 46.8%

COUNTIES WITH THE HIGHEST HEART DISEASE PREVALENCE

Rank	County	Prevalence
1	McDowell County	WV 15.1%
2	Tensas Parish	LA 14.8%
3	La Paz County	AZ 14.5%
4	Esmeralda County	NV 14.3%
5	Wolfe County	KY 13.9%
6	Bell County	KY 13.8%
7	Sumter County	FL 13.7%
8	Harlan County	KY 13.6%
8	Highlands County	FL 13.6%
10	Presidio County	TX 13.5%
10	Ozark County	MO 13.5%
10	Lake County	MI 13.5%

COUNTIES WITH THE HIGHEST COPD PREVALENCE

Rank	County	Prevalence
1	McDowell County	WV 19.9%
2	Wolfe County	KY 18.2%
2	Harlan County	KY 18.2%
4	Bell County	KY 18.1%
5	Mingo County	WV 17.3%
6	Lee County	KY 17.2%
7	Breathitt County	KY 17.0%
7	Clay County	KY 17.0%
9	Webster County	WV 16.8%
9	Clay County	WV 16.8%
9	McCreary County	KY 16.8%
9	Letcher County	KY 16.8%

COUNTIES WITH THE HIGHEST DIABETES PREVALENCE

Rank	County	Prevalence
1	Greene County	AL 25.6%
2	Tensas Parish	LA 25.3%
3	Jefferson County	MS 24.0%
4	Clay County	GA 23.9%
5	Presidio County	TX 23.8%
6	Sharkey County	MS 23.1%
7	Randolph County	GA 23.0%
8	Humphreys County	MS 22.8%
9	Perry County	AL 22.7%
10	East Carroll Parish	LA 22.4%
10	Quitman County	MS 22.4%

COUNTIES WITH THE HIGHEST CHRONIC KIDNEY DISEASE PREVALENCE

Rank	County	Prevalence
1	Tensas Parish	LA 6.2%
2	Clay County	GA 5.9%
2	Presidio County	TX 5.9%
4	Greene County	AL 5.8%
5	Jefferson County	MS 5.7%
6	Randolph County	GA 5.6%
7	Sharkey County	MS 5.5%
7	Quitman County	GA 5.5%
7	La Paz County	AZ 5.5%
10	Humphreys County	MS 5.4%

Source: <https://stacks.cdc.gov/view/cdc/90519>